


## Overview

A uniquely designed crossflow tower built specifically for expanding markets.

## Primary Benefits

- Marley's patented Spiral Target Nozzles minimize clogging and maximize performance
- Integral Louvers and eliminators that allow no more than 0.005% drift
- Fiberglass, corrosive-resistant design
- Meets the China GB-17888 code standard of safety



Marley MX Film Fill

## Benefit Detail

### High Efficiency MX Film-Fill

- Angled heat transfer surface for maximum thermal performance
- Patented triple pass eliminators allows for high water and air flow rates while maintaining minimal drift rates
- Integral louvers reduce pressure drop and prevent icing during winter conditions and splash out in summer conditions

## Maximum performance with Marley's Spiral Target Nozzles

- Engineered for ideal water distribution
- Easily accessible nozzle orifice for reduced clogging and maintenance
- Single assembly with no moving parts
- Optimal nozzle size for the specific design water flow rate



Marley Spiral Target Crossflow Nozzle



## Benefit Detail (continued)

### Safer tower inspection

- Mechanical equipment accessible from plenum walkway
- Plenum walkway uses a Marley designed surface with a slip resistant platform
- Minimizes need to access the fan deck of the tower


### Capacity Range

- 14 models ranging from 121 to 379 tons per cell at 95°/85°/78°F
- Flow rates from 82 m<sup>3</sup>/hr to 258 m<sup>3</sup>/hr per cell


### Features

- Thermal performance is certified by GB/T 7190.1-2008
- Tested structural design that minimizes vibration
- Low sound fan
- Corrosion-resistant fiberglass construction
- Max-efficiency crossflow film-fill
- Large access door
- Field assembled design simplifies transportation to job sites

## Additional Options



## Number of Models Meeting China Design Standard



7401 WEST 129 STREET | OVERLAND PARK, KANSAS 66213 UNITED STATES | 913 664 7400 | [spxcooling@spx.com](mailto:spxcooling@spx.com) | [spxcooling.com](http://spxcooling.com)

Contact your Marley Sales Representative at [spxcooling.com/en/sales/](http://spxcooling.com/en/sales/)

In the interest of technological progress, all products are subject to design and/or material change without notice.  
©2011 SPX Cooling Technologies, Inc. | Printed in USA