




# LPC Series

PRODUCT COOLER

ENGINEERING SCHEMATIC DETAILS



NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.





| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                |                         |        |                    |      |       |
|----------------|-------------------------|--------|--------------------|------|-------|
| SALES ORDER:   | LINE:                   | NO.    | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER P.O.: | REVISIONS               |        |                    |      |       |
| CUSTOMER NAME: |                         |        |                    |      |       |
| JOB NAME:      |                         |        |                    |      |       |
| TAG UNIT:      |                         |        |                    |      |       |
| MODEL:         | LPC 2 -16 - - - - - -RH |        |                    |      |       |
| ITEM NO.:      |                         |        |                    |      |       |
| NO. REQ'D:     | DATE:                   | DRAWN: |                    |      | REV.  |
| SHEET          |                         |        |                    |      |       |
| TOLERANCE:     | ±0.50"                  |        |                    |      |       |

NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.





| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                |        |                       |     |                    |      |       |
|----------------|--------|-----------------------|-----|--------------------|------|-------|
| SALES ORDER:   |        | LINE:                 | NO. | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER P.O.: |        | REVISIONS             |     |                    |      |       |
| CUSTOMER NAME: |        |                       |     |                    |      |       |
| JOB NAME:      |        |                       |     |                    |      |       |
| TAG UNIT:      |        |                       |     |                    |      |       |
| MODEL:         |        | LPC 2 -16 - - - - -RH |     |                    |      |       |
| ITEM NO.:      |        |                       |     |                    |      |       |
| NO. REQ'D:     | DATE:  | DRAWN:                |     |                    |      |       |
| SHEET          |        |                       |     |                    |      | REV.  |
| TOLERANCE:     | ±0.50" |                       |     |                    |      |       |

NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.





| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| *LIQUID FEED RATE                                                           |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                |                       |        |                    |      |       |
|----------------|-----------------------|--------|--------------------|------|-------|
| SALES ORDER    | LINE:                 | NO.    | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER       | P.O.:                 |        |                    |      |       |
| CUSTOMER NAME: | REVISIONS             |        |                    |      |       |
| JOB NAME:      |                       |        |                    |      |       |
| TAG UNIT:      |                       |        |                    |      |       |
| MODEL:         | LPC 2 -16 - - - - -LH |        |                    |      |       |
| ITEM NO.:      |                       |        |                    |      |       |
| NO. REQ'D:     | DATE:                 | DRAWN: |                    |      |       |
| SHEET          |                       |        |                    |      | REV.  |
| TOLERANCE:     | ±0.50"                |        |                    |      |       |

NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.




| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                              |           |     |                    |      |       |
|------------------------------|-----------|-----|--------------------|------|-------|
| SALES ORDER:                 | LINE:     | NO. | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER P.O.:               | REVISIONS |     |                    |      |       |
| CUSTOMER NAME:               |           |     |                    |      |       |
| JOB NAME:                    |           |     |                    |      |       |
| TAG UNIT:                    |           |     |                    |      |       |
| MODEL: LPC 4 -34 - - - - -RH |           |     |                    |      |       |
| ITEM NO.:                    |           |     |                    |      |       |
| NO. REQ'D:                   | DATE:     |     | DRAWN:             |      |       |
| SHEET                        |           |     |                    |      | REV.  |
| TOLERANCE:                   | ±0.50"    |     |                    |      |       |



WORK TO DIMENSIONS  
DO NOT SCALE DRAWING



| DESIGN SPECIFICATIONS                                                          |  | UNITS   |
|--------------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                          |  | BTUH    |
| ROOM TEMPERATURE                                                               |  | *F      |
| SUCTION TEMPERATURE                                                            |  | *F      |
| REFRIGERANT                                                                    |  | —       |
| *LIQUID FEED RATE                                                              |  | GPM     |
| AIR FLOW RATE                                                                  |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                       |  | INWG    |
| NOMINAL FIN SPACING                                                            |  | FINS/IN |
| TOTAL SURFACE AREA                                                             |  | SQ FT   |
| APPROXIMATE WEIGHT                                                             |  | LBS     |
| COIL INTERNAL VOLUME                                                           |  | CU FT   |
| *NOTE: LIQUID FEED PRESSURE MUST BE<br>AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

|                                            |  |           |  |        |   |                    |   |           |       |
|--------------------------------------------|--|-----------|--|--------|---|--------------------|---|-----------|-------|
| WORK TO DIMENSIONS<br>DO NOT SCALE DRAWING |  |           |  |        |   |                    |   |           |       |
| SALES ORDER:                               |  | LINE:     |  | NO.    |   | CHANGE DESCRIPTION |   | DATE      | CHK'D |
| CUSTOMER P.O.:                             |  |           |  |        |   |                    |   | REVISIONS |       |
| CUSTOMER NAME:                             |  |           |  |        |   |                    |   |           |       |
| JOB NAME:                                  |  |           |  |        |   |                    |   |           |       |
| TAG UNIT:                                  |  |           |  |        |   |                    |   |           |       |
| MODEL:                                     |  | LPC 4 -34 |  | -      | - | -                  | - | -         | -RH   |
| ITEM NO.:                                  |  |           |  |        |   |                    |   |           |       |
| NO. REQ'D:                                 |  | DATE:     |  | DRAWN: |   |                    |   |           |       |
| SHEET                                      |  |           |  |        |   |                    |   | REV.      |       |
| TOLERANCE:                                 |  | ± 0.50"   |  |        |   |                    |   |           |       |

NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.




| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                              |  |       |           |        |                    |      |       |
|------------------------------|--|-------|-----------|--------|--------------------|------|-------|
| SALES ORDER:                 |  | LINE: | NO.       |        | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER<br>P.O.:            |  |       | REVISIONS |        |                    |      |       |
| CUSTOMER NAME:               |  |       |           |        |                    |      |       |
| JOB NAME:                    |  |       |           |        |                    |      |       |
| TAG UNIT:                    |  |       |           |        |                    |      |       |
| MODEL: LPC 4 -34 - - - - -LH |  |       |           |        |                    |      |       |
| ITEM NO.:                    |  |       |           |        |                    |      |       |
| NO. REQ'D:                   |  | DATE: |           | DRAWN: |                    |      |       |
| SHEET                        |  |       |           |        |                    |      | REV.  |
| TOLERANCE: ±0.50"            |  |       |           |        |                    |      |       |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING





| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | *F      |
| SUCTION TEMPERATURE                                                         |  | *F      |
| REFRIGERANT                                                                 |  | —       |
| *LIQUID FEED RATE                                                           |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ FT   |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU FT   |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

|                      |  |                         |  |  |        |  |                    |  |       |
|----------------------|--|-------------------------|--|--|--------|--|--------------------|--|-------|
| WORK TO DIMENSIONS   |  |                         |  |  |        |  |                    |  |       |
| DO NOT SCALE DRAWING |  |                         |  |  |        |  |                    |  |       |
| SALES ORDER:         |  | LINE:                   |  |  | NO.    |  | CHANGE DESCRIPTION |  | DATE  |
| CUSTOMER             |  |                         |  |  |        |  |                    |  | CHK'D |
| P.O.:                |  |                         |  |  |        |  | REVISIONS          |  |       |
| CUSTOMER NAME:       |  |                         |  |  |        |  |                    |  |       |
| JOB NAME:            |  |                         |  |  |        |  |                    |  |       |
| TAG UNIT:            |  |                         |  |  |        |  |                    |  |       |
| MODEL:               |  | LPC 5 -42 - - - - - -RH |  |  |        |  |                    |  |       |
| ITEM NO.:            |  |                         |  |  |        |  |                    |  |       |
| NO. REQ'D:           |  | DATE:                   |  |  | DRAWN: |  |                    |  |       |
| SHEET                |  |                         |  |  |        |  |                    |  | REV.  |
| TOLERANCE:           |  | ± 0.50"                 |  |  |        |  |                    |  |       |



NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.




2.00 M.P.T. DRAIN CONN.  
MUST BE TRAPPED BY CUSTOMER

| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                |                       |     |                    |      |        |
|----------------|-----------------------|-----|--------------------|------|--------|
| SALES ORDER:   | LINE:                 | NO. | CHANGE DESCRIPTION | DATE | CHK'D  |
| CUSTOMER       | P.O.:                 |     |                    |      |        |
| CUSTOMER NAME: |                       |     |                    |      |        |
| JOB NAME:      | REVISIONS             |     |                    |      |        |
| TAG UNIT:      |                       |     |                    |      |        |
| MODEL:         | LPC 5 -42 - - - - -RH |     |                    |      |        |
| ITEM NO.:      |                       |     |                    |      |        |
| NO. REQ'D:     | DATE:                 |     | DRAWN:             |      |        |
| SHEET          |                       |     |                    |      | REV.   |
| TOLERANCE:     |                       |     |                    |      | ±0.50" |


NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.



| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

|                                            |                       |        |                    |      |       |
|--------------------------------------------|-----------------------|--------|--------------------|------|-------|
| WORK TO DIMENSIONS<br>DO NOT SCALE DRAWING |                       |        |                    |      |       |
| SALES ORDER                                | LINE:                 | NO.    | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER                                   | REVISIONS             |        |                    |      |       |
| P.O.:                                      |                       |        |                    |      |       |
| CUSTOMER NAME:                             |                       |        |                    |      |       |
| JOB NAME:                                  |                       |        |                    |      |       |
| TAG UNIT:                                  |                       |        |                    |      |       |
| MODEL:                                     | LPC 5 -42 - - - - -LH |        |                    |      |       |
| ITEM NO.:                                  |                       |        |                    |      |       |
| NO. REQ'D:                                 | DATE:                 | DRAWN: |                    |      |       |
| SHEET                                      |                       |        |                    |      | REV.  |
| TOLERANCE:                                 | ±0.50"                |        |                    |      |       |

NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.




| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|               |                       |       |                    |      |       |
|---------------|-----------------------|-------|--------------------|------|-------|
| SALES ORDER   | LINE:                 | NO.   | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER      | REVISED               |       |                    |      |       |
| P.O. #        |                       |       |                    |      |       |
| CUSTOMER NAME |                       |       |                    |      |       |
| JOB NAME      |                       |       |                    |      |       |
| TAG UNIT      |                       |       |                    |      |       |
| MODEL         | LPC 6 -49 - - - - -RH |       |                    |      |       |
| ITEM NO.      |                       |       |                    |      |       |
| NO. REQ'D     | DATE                  | DRAWN |                    |      | REV.  |
| SHEET         |                       |       |                    |      |       |
| TOLERANCE:    | ±0.50"                |       |                    |      |       |

NOTE: DIMENSIONAL DRAWING FOR QUOTATION PURPOSES ONLY. DO NOT USE FOR CONSTRUCTION. DRAWING RELEASE NO. QCD0001.




| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ FT   |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU FT   |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                |  |                       |     |           |                    |      |       |
|----------------|--|-----------------------|-----|-----------|--------------------|------|-------|
| SALES ORDER:   |  | LINE:                 | NO. |           | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER       |  |                       |     | REVISIONS |                    |      |       |
| P.O.:          |  |                       |     |           |                    |      |       |
| CUSTOMER NAME: |  |                       |     |           |                    |      |       |
| JOB NAME:      |  |                       |     |           |                    |      |       |
| TAG UNIT:      |  |                       |     |           |                    |      |       |
| MODEL:         |  | LPC 6 -49 - - - - -RH |     |           |                    |      |       |
| ITEM NO.:      |  |                       |     |           |                    |      |       |
| NO. REQ'D:     |  | DATE:                 |     | DRAWN:    |                    |      |       |
| SHEET          |  |                       |     |           |                    |      | REV.  |
| TOLERANCE:     |  |                       |     |           |                    |      |       |
| ±0.50"         |  |                       |     |           |                    |      |       |

NOTE: DIMENSIONAL DRAWING FOR QUOTATION  
PURPOSES ONLY. DO NOT USE FOR  
CONSTRUCTION. DRAWING RELEASE NO.  
QCD0001.



| DESIGN SPECIFICATIONS                                                       |  | UNITS   |
|-----------------------------------------------------------------------------|--|---------|
| UNIT COOLING CAPACITY                                                       |  | BTUH    |
| ROOM TEMPERATURE                                                            |  | °F      |
| SUCTION TEMPERATURE                                                         |  | °F      |
| REFRIGERANT                                                                 |  | -       |
| * LIQUID FEED RATE                                                          |  | GPM     |
| AIR FLOW RATE                                                               |  | CFM     |
| EXTERNAL STATIC PRESSURE                                                    |  | INWG    |
| NOMINAL FIN SPACING                                                         |  | FINS/IN |
| TOTAL SURFACE AREA                                                          |  | SQ. FT  |
| APPROXIMATE WEIGHT                                                          |  | LBS     |
| COIL INTERNAL VOLUME                                                        |  | CU. FT  |
| *NOTE: LIQUID FEED PRESSURE MUST BE AT LEAST 5 PSIG ABOVE SUCTION PRESSURE. |  |         |

WORK TO DIMENSIONS  
DO NOT SCALE DRAWING

|                |                         |        |                    |      |       |
|----------------|-------------------------|--------|--------------------|------|-------|
| SALES ORDER:   | LINE:                   | NO.    | CHANGE DESCRIPTION | DATE | CHK'D |
| CUSTOMER P.O.: | REVISIONS               |        |                    |      |       |
| CUSTOMER NAME: |                         |        |                    |      |       |
| JOB NAME:      |                         |        |                    |      |       |
| TAG UNIT:      |                         |        |                    |      |       |
| MODEL:         | LPC 6 -49 - - - - - -LH |        |                    |      |       |
| ITEM NO.:      |                         |        |                    |      |       |
| NO. REQ'D:     | DATE:                   | DRAWN: |                    |      | REV.  |
| SHEET          |                         |        |                    |      |       |
| TOLERANCE:     |                         |        |                    |      |       |
| ±0.50"         |                         |        |                    |      |       |